Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KLOW - 80mg

Tested for: Zc Labs
https://zclabs.shop

PASS

Scan to verify authenticity at ils-lab.com
Access Code: AH9C3V6J

COA #:	**COA-2026-ZHMYS3**	Analysis Date:	**07/16/2026**
Lot Number:	**001-BLUE**	Appearance:	**Good**
Labeled Content:	**80mg**	Date Received:	**07/07/2026**

Method: **Full QC Panel**

Identity	Peptide Purity	
KLOW	**99.63%**	Fentanyl Free




KLOW 80mg - 001-BLUE

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.63%**	%	**PASS**
Net Blend Peptide Content	Report Only	**83.79**	mg	N/A
-- GHK-Cu		*52.49*	*mg*	
-- KPV		*10.29*	*mg*	
-- BPC-157		*10.40*	*mg*	
-- TB-500		*10.61*	*mg*	
Identity (HPLC-RTM)	GHK-CU + KPV + BPC-157 + TB-500	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



KLOW 80mg - 001-BLUE: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1.0 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10.0 ppm	2.521	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.173 EU/mL**	**PASS**
Acceptance criteria: NMT < 0.25 EU/mL EU/mL per client specification.			

Notes & Methodology

1. Date Tested: 07/16/2026. Methods: Full QC Panel.
2. The sample was confirmed to be KLOW by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content determined by individual peak integration. Not all labeled components may be present.
7. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
8. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

ILS LABS

Issued by ILS Laboratories

(619) 329-3999

ils-lab.com



Dr. Greg Kalyuzhny

Lab Director

07/16/2026

COA #: **COA-2026-ZHMYS3**

Access Code: **AH9C3V6J**

Verify: portal.ils-lab.com/verify/vm31Ne244qErRstP

Issued: 07/16/2026